ELSEVIER

Chemical Engineering Journal 77 (2000) 227

Chemical Engineering Journal

www.elsevier.com/locate/cej

Author Index of Volume 77

Bangliang, S. 37
Baofen, Z. 37
Beck, M.S. 51, 73
Bennett, M.A. 43, 57
Bernini, R. 137
Bhargava, A. 19
Binley, A. 11
Boxman, A. 105
Brook, G. 19
Buchmann, M. 3
Byars, M. 73

Carey, S.J. 111
Chen, J. 19
Clough, E. 111

Daily, W. 11
Danya, Y. 37
Dorward, A. 93
Dyakowski, T. 1, 51, 87, 105

Eliosa-Jiménez, G. 189, 203

Flores-Tlacuahuac, A. 153
Follows, G. 105

Gamboa-Torres, A.E. 153
García-Sánchez, F. 189, 203
Geldart, D. 51
Grassler, T. 65
Grieve, B. 27
Grieve, B.D. 87
Grisdanurak, N. 215

Hamilton, K. 19
Hernández-Garduza, O. 189, 203
Hindle, F. 127
Hindle, F.P. 111

Jia, X. 31

Kantzas, A. 19
Kemna, A. 11
Krishna, R. 143

Lihui, P. 37
Lin, C.L. 79
Luke, S.P. 43, 57

Mann, R. 1, 87, 93, 105
McCann, H. 111, 127
McNaughtan, A. 27
Meney, K. 27
Mewes, D. 3, 99
Mikos, M. 105
Miller, J.D. 79
Mohamad Nor, M.I. 221

Neomagus, H.W.J.P. 165

Ostrowski, K.L. 43, 57
Ozanyan, K.B. 111, 127

Peixoto, F.C. 179
Pessôa, F.L.P. 179
Pierri, R. 137
Plaskowski, A. 73
Platt, G.M. 179
Praserthdam, P. 215

Ramirez, A. 11

Salas-Padrón, A. 189, 203
Saracco, G. 165
Schmitz, D. 99

Tapp, H.S. 119
Tomkiewicz, K. 73

van Baten, J.M. 143
Versteeg, G.F. 165
Vlaev, D. 87, 93, 105

Waldie, B. 221
Wang, M. 87, 93
Wang, S.J. 51
Wessel, H.F.W. 165
West, R.M. 31
Wilkinson, D. 221
Williams, R.A. 31, 43, 57, 119
Wilson, M. 105
Winterbone, D.E. 111
Wirth, K.-E. 65
Wright, I. 19

Yen Lee, H. 221
Yiheng, Z. 37
York, T. 105
Yuangsawatdikul, W. 215

Zarabi, T. 19
Zeni, L. 137

1385-8947/00/$ – see front matter © 2000 Elsevier Science S.A. All rights reserved.
PII: S1385-8947(00)00125-X

ELSEVIER

Chemical Engineering Journal 77 (2000) 229–231

Chemical Engineering Journal

www.elsevier.com/locate/cej

Subject Index of Volume 77

Alkane dehydrogenation
Coke formation over Pt–Sn–K/Al_2O_3 in C_3, C_5–C_8 alkane dehydrogenation, 215

Belt conveying
Measurement of bulk particulates on belt conveyor using dielectric tomography, 57
Bubble columns
Tomographic imaging of transient multiphase flow in bubble columns, 99

Capacitance tomography
A behaviour of a catalyst powder flowing down in a dipleg, 51
Measurement of bulk particulates on belt conveyor using dielectric tomography, 57
Testing of the failure of a solid rocket propellant with tomography methods, 73
Catalytic combustion
The catalytic combustion of natural gas in a membrane reactor with separate feed of reactants, 165
CFD model
Baffle plate configurations to enhance separation in horizontal primary separators, 221
Characterisation
Status and applications of microelectrical resistance tomography, 119
Chemical processes
Application of gamma camera imaging and SPECT systems in chemical processes, 19
Circulating fluidized bed
A behaviour of a catalyst powder flowing down in a dipleg, 51
X-ray computer tomography — potential and limitation for the measurement of local solids distribution in circulating fluidized beds, 65
Clear liquid height
Modelling sieve tray hydraulics using computational fluid dynamics, 143
Coking
Coke formation over Pt–Sn–K/Al_2O_3 in C_3, C_5–C_8 alkane dehydrogenation, 215
Combustion
Chemical species tomography by near infra-red absorption, 111
Complex resistivity
Complex resistivity tomography for environmental applications, 11
Computational fluid dynamics
Modelling sieve tray hydraulics using computational fluid dynamics, 143
Computer tomography
X-ray computer tomography — potential and limitation for the measurement of local solids distribution in circulating fluidized beds, 65
Contactless measurements
Optical tomography for dielectric profiling in processing electronic materials, 137
Control
Application of capacitance electrical tomography for on-line and off-line analysis of flow pattern in horizontal pipeline of pneumatic conveyer, 43

Dielectric constant
Application of capacitance electrical tomography for on-line and off-line analysis of flow pattern in horizontal pipeline of pneumatic conveyer, 43
Measurement of bulk particulates on belt conveyor using dielectric tomography, 57
Differential tomography
Testing of the failure of a solid rocket propellant with tomography methods, 73
Disjoint regions
Effect of process modeling on the nonlinear behaviour of a CSTR Reactions A→ B→ C, 153
Doping profile
Optical tomography for dielectric profiling in processing electronic materials, 137
Duo-modal tomography
Testing of the failure of a solid rocket propellant with tomography methods, 73

Electrical tomography
Imaging nylon polymerisation processes by applying electrical tomography, 105
Tomographic imaging of transient multiphase flow in bubble columns, 99
Electrochemical
Electrochemical issues in impedance tomography, 27
Emulsions and pastes
Status and applications of microelectrical resistance tomography, 119
Enthalpy
Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. I. Traitement général et représentation des équilibres liquide–vapeur et des enthalpies de mélange des systèmes binaires sous basse pression, 189
Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. II. Prédiction des propriétés thermodynamiques des systèmes binaires à partir d'une base restreinte de données expérimentales, 203
Equation of state
Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. I. Traitement général et représentation des équilibres liquide–vapeur et des enthalpies de mélange des systèmes binaires sous basse pression, 189
Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. II. Prédiction des propriétés thermodynamiques des systèmes binaires à partir d'une base restreinte de données expérimentales, 203
Excess function
Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. I. Traitement général et représentation des équilibres liquide–vapeur et des enthalpies de mélange des systèmes binaires sous basse pression, 189

1385-8947/00/$ – see front matter © 2000 Elsevier Science S.A. All rights reserved.
PII: S1385-8947(00)00126-1

Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. II. Prédiction des propriétés thermodynamiques des systèmes binaires à partir d'une base restreinte de données expérimentales, 203

Filter cake
Network analysis of filter cake pore structure by high resolution X-ray microtomography, 79
Filtration
Detecting filter-cake pathologies in solid–liquid filtration: semi-tech scale demonstrations using electrical resistance tomography (ERT), 87
Flash calculation
Vapor–liquid equilibria of multi-indexed continuous mixtures using an equation of state and group contribution methods, 179
Flow imaging
Application of gamma camera imaging and SPECT systems in chemical processes, 19
Fluorescence
First demonstration of optical fluorescence auto-projection tomography, 127
Fractal dimension
Measurement of bulk particulates on belt conveyor using dielectric tomography, 57
Froth density
Modelling sieve tray hydraulics using computational fluid dynamics, 143
Froth height
Modelling sieve tray hydraulics using computational fluid dynamics, 143
Fuel
First demonstration of optical fluorescence auto-projection tomography, 127

Gamma camera
Application of gamma camera imaging and SPECT systems in chemical processes, 19
Gas–liquid mixing
Measurements of gas–liquid mixing in a stirred vessel using electrical resistance tomography (ERT), 93

Hydrocyclone
Parametric modelling in industrial process tomography, 31

Image processing
The use of simultaneous iterative reconstruction technique for electrical capacitance tomography, 37
Image reconstruction
Parametric modelling in industrial process tomography, 31
Impedance
Electrochemical issues in impedance tomography, 27
Infra-red
Chemical species tomography by near infra-red absorption, 111
Input multiplicity
Effect of process modeling on the nonlinear behaviour of a CSTR Reactions A→ B→ C, 153
Interpretation
Parametric modelling in industrial process tomography, 31
Inversion
Complex resistivity tomography for environmental applications, 11
Isolas
Effect of process modeling on the nonlinear behaviour of a CSTR Reactions A→ B→ C, 153

Laminar mixing
Tomographic measurements of micro- and macromixing using the dual wavelength photometry, 3

Mass flow
Measurement of bulk particulates on belt conveyor using dielectric tomography, 57
Membrane reactor
The catalytic combustion of natural gas in a membrane reactor with separate feed of reactants, 165
Micro- and macromixing
Tomographic measurements of micro- and macromixing using the dual wavelength photometry, 3
Microelectrical resistance tomography
Status and applications of microelectrical resistance tomography, 119
Modeling
Effect of process modeling on the nonlinear behaviour of a CSTR Reactions A→ B→ C, 153
Multi-indexed continuous mixtures
Vapor–liquid equilibria of multi-indexed continuous mixtures using an equation of state and group contribution methods, 179
Multiphase flow
X-ray computer tomography — potential and limitation for the measurement of local solids distribution in circulating fluidized beds, 65

Non-destructive testing
Testing of the failure of a solid rocket propellant with tomography methods, 73
Nylon polymerisation
Imaging nylon polymerisation processes by applying electrical tomography, 105

Oil/water separation
Baffle plate configurations to enhance separation in horizontal primary separators, 221
Optical tomography
Optical tomography for dielectric profiling in processing electronic materials, 137
Tomographic measurements of micro- and macromixing using the dual wavelength photometry, 3
Output multiplicity
Effect of process modeling on the nonlinear behaviour of a CSTR Reactions A→ B→ C, 153

Particle and colloid suspensions
Status and applications of microelectrical resistance tomography, 119
Plasma technology
Imaging nylon polymerisation processes by applying electrical tomography, 105
Pneumatic conveyer
Application of capacitance electrical tomography for on-line and off-line analysis of flow pattern in horizontal pipeline of pneumatic conveyer, 43
Pore structure
Network analysis of filter cake pore structure by high resolution X-ray microtomography, 79
Pressure relief
Tomographic imaging of transient multiphase flow in bubble columns, 99
Primary separator
Baffle plate configurations to enhance separation in horizontal primary separators, 221
Process pathology
Detecting filter-cake pathologies in solid–liquid filtration: semi-tech scale demonstrations using electrical resistance tomography (ERT), 87
Process tomography
The use of simultaneous iterative reconstruction technique for electrical capacitance tomography, 37

Quadrature method
Vapor–liquid equilibria of multi-indexed continuous mixtures using an equation of state and group contribution methods, 179

Reactants
The catalytic combustion of natural gas in a membrane reactor with separate feed of reactants, 165
Reconstruction algorithm
The use of simultaneous iterative reconstruction technique for electrical capacitance tomography, 37
Relaxation
Complex resistivity tomography for environmental applications, 11
Resistance tomography
Detecting filter-cake pathologies in solid–liquid filtration: semi-tech scale demonstrations using electrical resistance tomography (ERT), 87

Semiconductor material
Optical tomography for dielectric profiling in processing electronic materials, 137
Separation
Baffle plate configurations to enhance separation in horizontal primary separators, 221
Sieve trays
Modelling sieve tray hydraulics using computational fluid dynamics, 143
SIRT
The use of simultaneous iterative reconstruction technique for electrical capacitance tomography, 37
SPECT imaging
Application of gamma camera imaging and SPECT systems in chemical processes, 19
Spectroscopy
Chemical species tomography by near infra-red absorption, 111
Stirred vessel
Measurements of gas–liquid mixing in a stirred vessel using electrical resistance tomography (ERT), 93

Thermodynamics
Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. I. Traitement général et représentation des équilibres liquide–vapeur et des enthalpies de mélange des systèmes binaires sous basse pression, 189
Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. II. Prédiction des propriétés thermodynamiques des systèmes binaires à partir d'une base restreinte de données expérimentales, 203
Tomography
Application of capacitance electrical tomography for on-line and off-line analysis of flow pattern in horizontal pipeline of pneumatic conveyer, 43
Chemical species tomography by near infra-red absorption, 111
Electrochemical issues in impedance tomography, 27
First demonstration of optical fluorescence auto-projection tomography, 127
Measurements of gas–liquid mixing in a stirred vessel using electrical resistance tomography (ERT), 93
TPO
Coke formation over Pt–Sn–K/Al_2O_3 in C_3, C_5–C_8 alkane dehydrogenation, 215

Vapor–liquid equilibria
Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. I. Traitement général et représentation des équilibres liquide–vapeur et des enthalpies de mélange des systèmes binaires sous basse pression, 189
Étude des modèles thermodynamiques pour représenter des mélanges contenant des hydrocarbures, de l'eau et des alcools. II. Prédiction des propriétés thermodynamiques des systèmes binaires à partir d'une base restreinte de données expérimentales, 203
Vapor–liquid equilibria of multi-indexed continuous mixtures using an equation of state and group contribution methods, 179
Visualisation
First demonstration of optical fluorescence auto-projection tomography, 127
Voltammetry
Electrochemical issues in impedance tomography, 27

X-ray
X-ray computer tomography — potential and limitation for the measurement of local solids distribution in circulating fluidized beds, 65
X-ray microtomography
Network analysis of filter cake pore structure by high resolution X-ray microtomography, 79